



# TQC Sheen Quadruplex 4-sided Applicators

## TQC Sheen Quadruplex 4-Sided Applicators

The TQC Sheen Quadruplex 4-Sided Applicators have four application sides. This is so you can apply paint films with a choice of four different predefined gap sizes, and a film width of either 60 mm or 80 mm.

One side of the applicator features optional guidance support to help you achieve straight application, plus it comes with a convenient built-in sample reservoir.

In addition to the normal Quadruplex range, we also have a dual applicator option. It offers the capability for two layers in one applicator, providing the perfect solution for when you need to apply two samples at the same time.

We can also provide custom-made four-sided film applicators. These can be ordered to meet the sizes you require and support your specific coating testing needs.

### Ideal for

Laboratories, Paint production, Coatings and paints application, Food.

### Standards

ASTM D823

### Features:

- Various sizes
- Custom options available
- Guidance support (removable) for straight application
- Features a built-in sample reservoir
- Calibration certificate
- Supplied in a protective case
- Easy-to-clean
- Compatible with TQC Sheen Automatic Film Applicators


### Technical Specification:

**Material:** Stainless Steel hardness HRC 55

**Accuracy:** +/- 2 µm

**Surface treatment:** Polished

Quadruplex Applicator:	Outer Dimensions:
60mm film width:	100 x 22 x 22 mm
80mm film width:	120 x 22 x 22 mm
Dual 60mm film width:	167 x 20 x 27 mm



## Ordering information:

### Quadruplex 4-sided Film Applicator

Gap Sizes	Film Width	
	60 mm	80 mm
15/30/60/90 $\mu\text{m}$	VF2168	VF2173
30/60/90/120 $\mu\text{m}$	VF2169	VF2174
50/100/150/200 $\mu\text{m}$	VF2170	VF2175
100/200/300/400 $\mu\text{m}$	VF2179 (Dual)	-
Custom $\mu\text{m}$	VF2167	VF2172
<i>*Max gap size 2000 <math>\mu\text{m}</math></i>		

Note: We can offer bespoke sizes to meet your needs for 4-sided type film applicators. Please contact us directly for a quote.

Note: The total applicator width is the film width + 2 x 20 mm

### Accessories:

#### Catalog Number Article Description

VF1601	Glass Film Application Table 380x230 mm
VF1602	Glass Film Application Table 230x160 mm
VF1603	Glass Film Application Table, 300 x 100 mm
	Test charts, various options



### Disclaimer

The information contained in this document is liable to modification from time to time in the light of experience and our policy of continuous product development. Check the Industrial Physics website for the latest version.

### Contact Details

**web.** [www.industrialphysics.com](http://www.industrialphysics.com)

**email.** [info@industrialphysics.com](mailto:info@industrialphysics.com)